

Instructions for wear checks of play equipment

Playground:

Date of assembly:


Checks depend on kind of equipment. Any equipment with moving parts must be checked at least twice a year, static equipment at least once a year.

Intervals for maintenance work and checks generally depend on:


- location
- kind of use
- frequency of use
- possible vandalism

For more details see also "General instructions for maintenance of playgrounds"

Phones made of concrete
Order nos. 9.02710 / 9.02711



Distance approx 15 m (max 17 m)



The equipment must be checked for correct operation and safety, especially the points listed below:

Proof of maintenance

Concrete

1 Check the concrete for damage due to vandalism (chipped edges). Blunt sharp edges of the concrete with an angle grinder and/or repair with fast setting cement or epoxy resin

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Structrual stability

2 Dig out around the foundations once a year and check for stability

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Special notes (e. g. for repairs):

Special notes (e. g. for repairs):

Special notes (e. g. for repairs):

Repair not carried out, it is still possible to play on the equipment

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Repair not carried out, equipment is taken out of action

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

All work carried out, everthing is in order

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------	--------------------------	--------------------------

Maintenance carried out by

Date